



NOTES

- UNLESS OTHERWISE SPECIFIED AND/OR INDICATED: DIMENSIONS ARE TO FACE OF VIEW SHOWN AND AUTOMATICALLY ROUNDED BY COMPUTER FOR INSPECTION (SEE MATH MODEL FOR PRECISE DIMENSIONS). FOR ALL OTHER DIMENSIONS NOT SHOWN BUT REQUIRED FOR TOOL BUILD, SEE MATH MODEL FOR PRECISE TOOL PATH DATA. ALL RADII 0.5 DRAFT IS 0°30' MAX ON ALL OUTSIDE SURFACES
- MATING COMPONENTS OR EQUIVALENT: CONNECTOR 12047781
- TERMINALS MUST WITHSTAND A MINIMUM PUSHOUT FORCE OF 89 N (20 LBS).
- RECOMMENDED BODY MATERIAL: NYLON 66 OR EQUIVALENT FLEXIBLE THERMOPLASTIC.

MATING CONNECTOR INFORMATION

RECOMMENDED MATERIAL: P-1546 (CA-210) BRASS  
EXTRA SPRING TEMPER - TIN PLATED.  
PLATING THICKNESS: 0.003 - 0.005 MM  
TENSILE STRENGTH: 430 MPA  
NOTE - USE OF MATERIAL WITH A CONDUCTIVITY 20% IACS AT 68° F SHOULD BE APPROVED BY PACKARD ELECTRIC



SCALE 10:1







MATING TERMINAL INFORMATION

12065422	02	AB	POLYAMIDE COMPOUND CREAM	0.781
12047781	A4		POLYAMIDE COMPOUND BLACK	0.781
PART NO	REV	N/P	STATUS	MATERIAL SPECIFICATION AND COLOR
				VOL CM <sup>3</sup>

FROM	> 0	> 20	> 30	> 70	> 100	> 150	> 200	> 250	> 300	
TO	20	30	70	100	150	200	250	300	400	
TOLERANCE UNLESS OTHERWISE SPECIFIED										
ANGULAR TOLERANCE	± 0.15   ± 0.2   ± 0.3   ± 0.4   ± 0.5   ± 0.6   ± 0.8   ± 1   ± 1.2									

SYMBOL DEFINITION		MISSING SYMBOLS	
A DIMENSION WITHOUT AN INSPECTION REPORT SYMBOL DOES NOT REQUIRE INSPECTION. IT MAY BE CONTROLLED ON THE INDIVIDUAL COMPONENT DRAWING.	TOTAL NO OF INSPECTIONS REQUIRED	NO MISSING SYMBOL NUMBER	
	10		
	LAST NO. USED		
	10		

DWS STATUS					REVISION HISTORY			AUTH	DR	APVD	APVD
DATE	STG	REV	N/P	CHG	ZONE						
28JAO2	R	01	-	-		ALL PARTS - CREATED PD AND ADDED MATERIAL RECYCLING CODE	216148	RH	RCH	1	2
12JAO4	R	02	-	-		ADDED DIM 10 & ADDED NFO NOTE. UPDATED NOTE 2	249873	LLJ	LLJ	RD	
04AP06	R	03	-	-		12065422 - MAT'L SPEC WAS M3592002	278935	RMG	JAA	GGI	
13NO07	R	04	-	-		ALL PARTS - UPDATED PDM ATTRIBUTES	402499	TAI	TAI	SLS	
15JN11	R	05	-	-		ALL PARTS - 6.5 ± 0.15 WAS 6.5 ± 0.1. REVISED SIZE CHARACTERS & LOGOS	414538	ARC	ARC	AH	



NOTES

- UNLESS OTHERWISE SPECIFIED AND/OR INDICATED: DIMENSIONS ARE TO FACE OF VIEW SHOWN AND AUTOMATICALLY ROUNDED BY COMPUTER FOR INSPECTION (SEE MATH MODEL FOR PRECISE DIMENSIONS). FOR ALL OTHER DIMENSIONS NOT SHOWN BUT REQUIRED FOR TOOL BUILD, SEE MATH MODEL FOR PRECISE TOOL PATH DATA.
- MATERIAL RECYCLING CODE PER ISO 11469. (1)(X)(0.1) CHARACTERS AS SHOWN TO BE LOCATED ON ANY EXTERIOR SURFACE. OPTIONAL CONSTRUCTION TO BE NO MATERIAL RECYCLING CODE.
- THIS PRODUCT IS NOT CATEGORIZED AS AN APPEARANCE ITEM, MINOR IMPERFECTIONS INCLUDING, BUT NOT LIMITED TO, FLOW MARKS, COLOR BLEMISHES, GATE VESTIGE, AND SOFT FLASH THAT DO NOT AFFECT THE FIT, FORM, OR FUNCTION OF THE PART ARE PERMISSIBLE PER DPNP-4.7-CS-01.
- THIS PART IS NOT CONTROLLED FOR AUTOMATIC FEEDING.
- THIS CONNECTOR WILL PASS THRU A Ø13 MIN HOLE.
- (1)(X)(0.1) DELPHI CORPORATE BRAND TO BE LOCATED ON ANY EXTERIOR SURFACE, PREFERABLY VISIBLE AT FINAL ASSEMBLY. OPTIONAL CONSTRUCTION FOR EXISTING TOOLING MAY BE "PED".
- FOR APPLICATION DATA SEE THE INDIVIDUAL APPLICATION DRAWINGS.

PART DRAWING	
STYLE	SEE CHART
VOLUME (OMP)	DISTR CODE
	D
UNLESS OTHERWISE SPECIFIED	
THIS DOCUMENT IS IN ACCORDANCE WITH ASME Y14.5M-1994 AS MODIFIED BY THE 2003 DIMENSIONING AND TOLERANCING ADDENDUM - 1997. ALL GEOMETRIC TOLERANCES AND RELATED DATUMS APPLY UNLESS OTHERWISE SPECIFIED. MFCI DOES NOT APPLY WHEN RELATIONSHIP BETWEEN FEATURES IS ESTABLISHED BY ORIENTATION OR LOCATION TOLERANCES. SEPARATE POSITION CALLOUTS MAY BE SHOWN SEPARATELY, IRRESPECTIVE OF DATUM REFERENCE.	
ALL DIMENSIONS ARE IN MILLIMETERS	
REFERENCE	

**DELPHI**  
DELPHI PACKARD ELECTRICAL/ELECTRONIC ARCHITECTURE  
WARREN, OH

DR	DATE
APV01 R. HERMOSILLO	28JAO2
APV02 R. CHACON	28JAO2
APV03 G. MACIAS	30JAO2
APV04	
APV05	

SUBSTANCES OF CONCERN AND RECYCLED CONTENT PER DELPHI (0944990)

MATERIAL SEE CHART

DRAWING NAME  
TAXI CONN F W/P 150

DRAWING NUMBER  
**12065180**

SIZE A0 SCALE 5:1 FRAME NO 1 OF 1 SHEET NO 1 OF 1 STG REV N/P R 05 -