









RK 6-10/35/SAS	SL 10/35			
 <p>M 4 </p>	 <p>M 4 </p>			
				
<p>Feed-through terminal2 connections with additional screen connection</p>	<p>Protective earth terminal 2 connections</p>			
<p>Screw connection</p>	<p>Screw connection</p>			
<p>48 x 8 x 47</p>	<p>56 x 10 x 47</p>			
<p>Qty. RK 6-10/35/SAS BG 1168.2 100</p>	<p>Qty. SL 10/35 GNYE 1213.2 80</p>			
<p> IEC</p>	<p> UL cUL</p>			
<p>320</p>				
<p>57</p>				
<p>10 22-8</p>	<p>10 20-6</p>			
<p>6 3</p>	<p>8 3</p>			
<p>A5 V2</p>	<p>A5 V2</p>			
<p>0.2-10 0.2-10</p>	<p>0.2-10 0.2-10</p>			
<p>0.2-10 0.2-10</p>	<p>0.2-10 0.2-10</p>			
<p>0.2-10</p>	<p>0.2-10</p>			
<p>12</p>	<p>12</p>			
<p>1.2-2.0 Slotted M 4</p>	<p>1.2-2.0 Slotted M4</p>			
<p>Fast-on 2.8</p>				
<p>PA 6.6 -40 to +105°C</p>	<p>PA 6.6 -40 to +105°C</p>			
<p>1 1</p>	<p>1 1</p>			
<p>Page Qty.</p>	<p>Page Qty.</p>			
<p>AP 2.5-10 BG 2001.2 278 50</p>				
<p>TW 2.5-10 BG 2002.2 316 50</p>				
<p>TRS 1 BG 2003.2 316 100</p>				
<p>Q 2 2060.0 289 50</p>				
<p>QI 2 YE 2750.2 289 50</p>				
<p>Q 3 2061.0 289 50</p>				
<p>QI 3 YE 2751.2 289 50</p>				
<p>Q 4 2062.0 289 20</p>				
<p>QI 4 YE 2752.2 289 20</p>				
<p>Q 10 2063.0 289 10</p>				
<p>QI 10 YE 2753.2 289 10</p>				
<p>ES 35/K/ST BG 2828.0 274 50</p>				
<p>TA 8/1/ST 2817.0 319 10</p>				
<p>SDB 0,8x4,0 1086.0 422 1</p>	<p>SDB 0,8x4,0 1087.0 422 1</p>			
<p>PMC SB 8/40 WH 9323.7 342 400</p>	<p>PMC SB 8/40 WH 9323.7 342 400</p>			