




REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-




AFFECTED PART NUMBERS	PN REV	HOUSING COLOR	STANDARD SEAL	EXTRA THIN SEAL E-SEAL	BLOCKED SEAL	SHORT CAP	LONG CAP	FIGURE
DT06-12SX	-	ALL	X					1
DT06-12SX-C015	A	ALL		X				1
DT06-12SX-C017	A	ALL			X	X		2
DT06-12SX-CE01	C	ALL		X		X		2
DT06-12SA-CE02	A	BLACK		X				1
DT06-12SA-CE03	-	BLACK		X		X		2
DT06-12SX-CE04	B	ALL		X			X	3
DT06-12SX-E003	B	ALL	X			X		2
DT06-12SA-E005	-	BLACK	X					1
DT06-12SX-E008	B	ALL	X				X	3
DT06-12SX-EP04	C	ALL	X			X		2
DT06-12SX-P004	A	ALL	X					1

- 12 CONNECTORS WITH A BLOCKED (AND DEUTSCH MARKINGS) SEAL INCLUDE THE W12S WEDGE (ORANGE) INSTALLED AS PART OF THE PLUG ASSEMBLY.
- 10 PARTS IN THE STANDARD TYPE CONFIGURATION WILL HAVE 'DEUTSCH' ID TEXT ON THE HOUSING.
9. SECONDARY WEDGE LOCK SOLD SEPARATELY: W12S
W12S MUST BE USED WITH THE STANDARD TYPE PLUGS.
- 8 THE AFFECTED PARTS NUMBERS LISTED ARE CHANGING FROM STANDARD TYPE SEAL (SHEET 2) TO RETENTION TYPE SEAL (SHEET 1).
PARTS WILL BE SUPPLIED FROM THE NORTH AMERICA REGION IN THE STANDARD TYPE CONFIGURATION UNTIL THE STANDARD TYPE TOOLING REACHES ITS END OF LIFE.
PARTS PRODUCED IN CHINA WILL BE RETENTION TYPE ONLY.


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. MUKESH 22NOV2021	TE Connectivity	
DIMENSIONS: 1 IN[mm]		CHK R. MESSENGER 22NOV2021		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD J. GRANTCHAROVA 25NOV2021	NAME 12 WAY PLUG, STANDARD SEAL EXTRA THIN SEAL, SHORT AND LONG CAP DT SERIES	
0 PLC ±" 1 PLC ±" 2 PLC ±" 3 PLC ±.025[0.64] 4 PLC ±" ANGLES ±0°30'0"		PRODUCT SPEC 108-151009	SIZE CAGE CODE DRAWING NO 4AFU8 DT06-12SX-XXXX	
MATERIAL FINISH		APPLICATION SPEC 114-151009	RESTRICTED TO -	
WEIGHT -		CUSTOMER DRAWING	SCALE 2:1 SHEET 2 OF 3 REV B2	

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-


DT06-12SA-XXXX
KEY ARR. -A-
HOUSING COLOR: GRAY
SEE PN TABLE FOR BLACK PNs.




DT06-12SB-XXXX
KEY ARR. -B-
HOUSING COLOR: BLACK



DT06-12SC-XXXX
KEY ARR. -C-
HOUSING COLOR: GREEN



DT06-12SD-XXXX
KEY ARR. -D-
HOUSING COLOR: BROWN



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
IN[mm]

MATERIAL

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC
1 PLC
2 PLC
3 PLC
4 PLC
ANGLES
FINISH

±"
±"
±"
±"
±"
±0°30'0"
±"

22NOV2021
22NOV2021
25NOV2021

DWN
CHK
APVD

R. MUKESH
R. MESSENGER
J. GRANTCHAROVA

PRODUCT SPEC
APPLICATION SPEC

108-151009
114-151009

WEIGHT

-

CUSTOMER DRAWING

TE Connectivity

NAME

12 WAY PLUG, STANDARD SEAL
EXTRA THIN SEAL, SHORT AND LONG CAP
DT SERIES

SIZE
CAGE CODE
DRAWING NO

A1
4AFU8
C=DT06-12SX-XXXX

RESTRICTED TO

-

SCALE

5:1

SHEET

3

OF

3

REV

B2