

## Ring terminals

### Vinyl-insulated ring terminals



Extra-length PVC sleeve offers extra protection.

#### Vinyl-insulated ring terminals



Cat. no.	Wire Pkg. range (AWG)	Max. ins. (in.)	Bolt hole (in.)	Rec. tool	Dimensions (in.)				Stock thick. (in.)
					A	B	C	M	
18RA-4	100	22-16	0.150	#4 ERG4001	0.97	0.31	0.27	0.81	0.03
RA77	1,000	22-16	0.150	#4	0.97	0.31	0.27	0.81	0.03
18RA-6	100	22-16	0.150	#6	0.94	0.25	0.27	0.81	0.03
RA857	1,000	22-16	0.150	#6	0.94	0.25	0.27	0.81	0.03
18RA-8	100	22-16	0.150	#8	0.97	0.31	0.27	0.81	0.03
RA867	1,000	22-16	0.150	#8	0.97	0.31	0.27	0.81	0.03
18RA-10	100	22-16	0.150	#10	0.97	0.31	0.27	0.81	0.03
RA877	1,000	22-16	0.150	#10	0.97	0.31	0.27	0.81	0.03
18RA-14	100	22-16	0.150	1/4	1.13	0.50	0.37	0.88	0.03
RA717	1,000	22-16	0.150	1/4	1.13	0.50	0.37	0.88	0.03
18RA-516	100	22-16	0.150	5/16	1.13	0.50	0.37	0.88	0.03
RA727	1,000	22-16	0.150	5/16	1.13	0.50	0.37	0.88	0.03
18RA-38	100	22-16	0.150	3/8	1.24	0.54	0.37	0.91	0.03
RA737	1,000	22-16	0.150	3/8	1.24	0.54	0.37	0.91	0.03
14RB-4	100	18-14	0.170	#4	0.94	0.25	0.27	0.81	0.03
RB1327	1,000	18-14	0.170	#4	0.94	0.25	0.27	0.81	0.03
14RB-6	100	18-14	0.170	#6	0.97	0.31	0.27	0.81	0.03
RB857	1,000	18-14	0.170	#6	0.97	0.31	0.27	0.81	0.03
14RB-8	100	18-14	0.170	#8	0.97	0.31	0.27	0.81	0.03
RB867	1,000	18-14	0.170	#8	0.97	0.31	0.27	0.81	0.03
14RB-10	100	18-14	0.170	#10	0.97	0.31	0.27	0.81	0.03
RB877	1,000	18-14	0.170	#10	0.97	0.31	0.27	0.81	0.03
14RB-14	100	18-14	0.170	1/4	1.14	0.50	0.38	0.89	0.03
RB717	1,000	18-14	0.170	1/4	1.14	0.50	0.38	0.89	0.03
14RB-516	100	18-14	0.170	5/16	1.15	0.50	0.38	0.89	0.03
RB727	1,000	18-14	0.170	5/16	1.15	0.50	0.38	0.89	0.03
14RB-38	100	18-14	0.170	3/8	1.16	0.54	0.38	0.91	0.03
RB737	1,000	18-14	0.170	3/8	1.16	0.54	0.38	0.91	0.03

Cat. no.	Wire Pkg. range (AWG)	Max. ins. (in.)	Bolt hole (in.)	Rec. tool	Dimensions (in.)				Stock thick. (in.)
					A	B	C	M	
10RC-6	50	12-10	0.210	#6 ERG4001	1.06	0.31	0.27	0.90	0.04
RC337	500	12-10	0.210	#6	1.06	0.31	0.27	0.90	0.04
10RC-8	50	12-10	0.210	#8	1.06	0.31	0.27	0.90	0.04
RC777	500	12-10	0.210	#8	1.06	0.31	0.27	0.90	0.04
10RC-10	50	12-10	0.210	#10	1.06	0.31	0.27	0.90	0.04
RC367	500	12-10	0.210	#10	1.06	0.31	0.27	0.90	0.04
10RC-14	50	12-10	0.210	1/4	1.16	0.50	0.27	0.90	0.04
RC717	500	12-10	0.210	1/4	1.16	0.50	0.27	0.90	0.04
10RC-516	50	12-10	0.210	5/16	1.17	0.50	0.37	0.92	0.04
RC707	500	12-10	0.210	5/16	1.17	0.50	0.37	0.92	0.04
10RC-38	50	12-10	0.210	3/8	1.29	0.59	0.44	0.99	0.04
RC737	500	12-10	0.210	3/8	1.29	0.59	0.44	0.99	0.04

Diagram

